

Issuing Date 11-Sep-2009

Revision date 06-Mar-2025

Revision Number 4

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product identifier****Product Name** Para-Pak® and Para-Pak® ULTRA EcoFix**Other means of identification****Product Code(s)** 9014**UN number or ID number** 2924**Recommended use of the chemical and restrictions on use****Recommended use** In vitro diagnostic**Uses advised against** No information available**Details of the supplier of the safety data sheet****Manufacturer Address**Meridian Bioscience, Inc.  
3471 River Hills Drive  
Cincinnati, Ohio 45244  
(800) 343-3858**E-mail Address** [www.meridianbioscience.com](http://www.meridianbioscience.com)**Emergency telephone number****Emergency Telephone** Emergency telephone CHEMTREC For US 1-800-424-9300 / (International)  
1-703-527-3887**2. HAZARDS IDENTIFICATION****Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Gases)	Category 2
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 2

**Hazards not otherwise classified (HNOC)**

Not applicable

**Label elements****Signal word**

Danger

**Hazard statements**

Harmful in contact with skin  
 Fatal if inhaled  
 Causes skin irritation  
 Causes serious eye irritation  
 Causes damage to organs  
 Highly flammable liquid and vapor

**Appearance** No information available**Physical state** Liquid**Odor** Pungent**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area  
 Wear respiratory protection  
 Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
 Keep container tightly closed  
 Ground and bond container and receiving equipment  
 Use explosion-proof electrical/ ventilating / lighting/ .? / equipment  
 Use only non-sparking tools  
 Take action to prevent static discharges  
 Keep cool  
 Wear protective gloves/clothing and eye/face protection

**Precautionary Statements - Response**

Specific treatment (see Section 4 on this label)  
 Specific treatment is urgent (see Section 4 on this label)  
 Specific treatment (see Section 4 on this label)  
 IF exposed: Call a POISON CENTER or doctor  
 Precautionary Statements - Response      Specific treatment is urgent (see supplemental instructions on the administration of antidotes on this label) Specific treatment (see supplemental instructions on the administration of antidotes on this label)  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention  
 Call a POISON CENTER or doctor if you feel unwell  
 If skin irritation occurs: Get medical advice/attention  
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 Immediately call a POISON CENTER or doctor  
 In case of fire: Use CO<sub>2</sub>, dry chemical, or foam to extinguish

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed  
 Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other information**

May be harmful if swallowed  
Toxic to aquatic life with long lasting effects

**Unknown acute toxicity** 66.3 % of the mixture consists of ingredient(s) of unknown toxicity  
91.3 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No.	Weight-%	Trade secret
Ethyl alcohol	64-17-5	25	*
Zinc sulfate	7733-02-0	7.9	*
Acetic acid	64-19-7	4.8	*
Glycerin	56-81-5	1.9	*
Methyl alcohol	67-56-1	1	*
Isopropyl alcohol	67-63-0	1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Inhalation</b>	Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. If symptoms persist, call a physician. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Avoid contact with skin, eyes or clothing.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Coughing and/ or wheezing. Difficulty in breathing. May cause redness and tearing of the eyes. Burning sensation.

**Effects of Exposure** Causes damage to organs.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media** Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray. Alcohol resistant foam.  
**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

**Specific hazards arising from the chemical** Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Explosion data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** Yes.

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe vapor or mist.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions**

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Should not be released into the environment. Do not allow to enter into soil/subsoil.

**Methods and material for containment and cleaning up**

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Advice on safe handling**

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Limits**

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Acetic acid 64-19-7	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m <sup>3</sup>	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> STEL: 15 ppm STEL: 37 mg/m <sup>3</sup>
Glycerin 56-81-5	No data available	TWA: 15 mg/m <sup>3</sup> mist, total particulate TWA: 5 mg/m <sup>3</sup> mist, respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> mist, total particulate (vacated) TWA: 5 mg/m <sup>3</sup> mist, respirable fraction	-

Methyl alcohol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m <sup>3</sup> (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering controls**                      Showers  
    Eyewash stations  
    Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**                      Tight sealing safety goggles.

**Hand protection**                              Wear suitable gloves. Impervious gloves.

**Skin and body protection**                      Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.  
    Antistatic boots.

**Respiratory protection**                      When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**General hygiene considerations**                      Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not breathe vapor or mist. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

**Physical state**                                      Liquid  
**Appearance**                                      No information available  
**Color**    green  
**Odor**    Pungent  
**Odor threshold**                                      No information available

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>
<b>pH</b>	No data available	None known
<b>Melting point / freezing point</b>	No data available	None known
<b>Initial boiling point and boiling range</b>	84 °C / 183.2 °F	Not applicable
<b>Flash point</b>	16 °C / 60.8 °F	Not applicable
<b>Evaporation rate</b>	No data available	None known
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive</b>	No data available	

<b>limits</b>		
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Relative vapor density</b>	No data available	None known
<b>Relative density</b>	No data available	None known
<b>Water solubility</b>	No data available	Soluble in water
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Hyphen</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known
<b>Explosive properties</b>	No information available	
<b>Oxidizing properties</b>	No information available	
<b><u>Other information</u></b>		
<b>Softening point</b>	No information available	
<b>Molecular weight</b>	No information available	
<b>VOC content</b>	No information available	
<b>Liquid Density</b>	No information available	
<b>Bulk density</b>	No information available	

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Conditions to avoid</b>	Heat, flames and sparks. Excessive heat.
<b>Incompatible materials</b>	Strong acids. Strong bases. Strong oxidizing agents.
<b>Hazardous decomposition products</b>	None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. Fatal if inhaled. (based on components). May cause irritation of respiratory tract.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Symptoms</b>	Coughing and/ or wheezing. Difficulty in breathing. Redness. May cause redness and tearing of the eyes.
-----------------	---

**Numerical measures of toxicity****Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	2,063.30 mg/kg
<b>ATEmix (dermal)</b>	1,048.50 mg/kg
<b>ATEmix (inhalation-gas)</b>	199.20 ppm
<b>ATEmix (inhalation-dust/mist)</b>	16.4581 mg/l
<b>ATEmix (inhalation-vapor)</b>	99,999.00 mg/l

**Unknown acute toxicity** 66.3 % of the mixture consists of ingredient(s) of unknown toxicity  
 91.3 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
 98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol 64-17-5	7060 mg/kg ( Rat )	-	124.7 mg/L ( Rat ) 4 h
Zinc sulfate 7733-02-0	1710 mg/kg ( Rat )	-	-
Acetic acid 64-19-7	3310 mg/kg ( Rat )	1060 mg/kg ( Rabbit )	11.4 mg/L ( Rat ) 4 h
Glycerin 56-81-5	12600 mg/kg ( Rat )	10 g/kg ( Rabbit )	570 mg/m <sup>3</sup> ( Rat ) 1 h
Methyl alcohol 67-56-1	6200 mg/kg ( Rat )	15800 mg/kg ( Rabbit ) 15840 mg/kg ( Rabbit )	22500 ppm ( Rat ) 8 h 64000 ppm ( Rat ) 4 h
Isopropyl alcohol 67-63-0	1870 mg/kg ( Rat )	4059 mg/kg ( Rabbit )	72600 mg/m <sup>3</sup> ( Rat ) 4 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. Causes skin irritation. May cause skin irritation.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	A3	Group 1	Known	X
Isopropyl alcohol 67-63-0	-	Group 1 Group 3	-	X

**Legend**

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present



<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs in contact with skin. Causes damage to organs if inhaled.
<b>STOT - repeated exposure</b>	No information available.
<b>Target organ effects</b>	Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Gastrointestinal tract (GI), Reproductive system, Teeth.
<b>Aspiration hazard</b>	No information available.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethyl alcohol 64-17-5	-	13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50
Zinc sulfate 7733-02-0	0.056: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 64.8: 72 h Chlorella vulgaris mg/L EC50 2.4: 96 h Chlorella vulgaris mg/L EC50	0.218 - 0.42: 96 h Pimephales promelas mg/L LC50 flow-through 0.63: 96 h Poecilia reticulata mg/L LC50 0.23 - 0.48: 96 h Pimephales promelas mg/L LC50 0.162: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.15: 96 h Cyprinus carpio mg/L LC50 semi-static 0.03 - 0.05: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 3 - 4.6: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.34 - 0.93: 96 h Oncorhynchus mykiss mg/L LC50 static 0.48 - 1.72: 96 h Poecilia reticulata mg/L LC50 static 16.85 - 27.18: 96 h Cyprinus carpio mg/L LC50 static 0.06: 96 h Pimephales promelas mg/L LC50 static 3.55 - 6.32: 96 h Lepomis macrochirus mg/L LC50 static 0.168 - 0.25: 96 h Pimephales promelas	EC50 = 3.45 mg/L 15 min EC50 = 40.5 mg/L 30 min EC50 = 476 mg/L 5 min EC50 > 700 mg/L 16 h	0.75: 48 h Daphnia magna mg/L EC50 0.538 - 0.908: 48 h Daphnia magna mg/L EC50 Static

		mg/L LC50 semi-static 49.23 - 64.16: 96 h Poecilia reticulata mg/L LC50 semi-static		
Acetic acid 64-19-7	-	75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L LC50 static	EC50 = 8.8 mg/L 15 min EC50 = 8.8 mg/L 25 min EC50 = 8.8 mg/L 5 min	47: 24 h Daphnia magna mg/L EC50 65: 48 h Daphnia magna mg/L EC50 Static
Glycerin 56-81-5	-	51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static	-	500: 24 h Daphnia magna mg/L EC50
Methyl alcohol 67-56-1	-	100: 96 h Pimephales promelas mg/L LC50 static 28200: 96 h Pimephales promelas mg/L LC50 flow-through 18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static 13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-through 19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	-
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 1400000: 96 h Lepomis macrochirus µg/L LC50 11130: 96 h Pimephales promelas mg/L LC50 static	-	13299: 48 h Daphnia magna mg/L EC50

**Persistence and degradability** No information available.

#### Component Information

Chemical name	Partition coefficient
Ethyl alcohol 64-17-5	-0.32
Acetic acid 64-19-7	-0.31
Glycerin 56-81-5	-1.76
Methyl alcohol 67-56-1	-0.77
Isopropyl alcohol 67-63-0	0.05

**Other adverse effects** No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

**Waste from residues/unused** Should not be released into the environment. Dispose of in accordance with local

**products** regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methyl alcohol 67-56-1	-	Included in waste stream: F039	-	U154

**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Ethyl alcohol 64-17-5	Toxic Ignitable
Zinc sulfate 7733-02-0	Toxic
Acetic acid 64-19-7	Toxic Corrosive Ignitable
Methyl alcohol 67-56-1	Toxic Ignitable
Isopropyl alcohol 67-63-0	Toxic Ignitable

## 14. TRANSPORT INFORMATION

**DOT** Flammable Liquid, Corrosive, n.o.s.  
**UN number or ID number** 2924  
**Proper shipping name** Ethanol, Acetic Acid  
**Transport hazard class(es)** 3  
**Subsidiary hazard class** 8  
**Packing group** II  
**Special Provisions** Note: Per 49 CFR - When Shipping 30 mL or less per inner packaging and the gross weight does not exceed 64 lbs. use the 173.4 small quantity exception

**IATA** Flammable Liquid, Corrosive, n.o.s.  
**UN number or ID number** 2924  
**UN proper shipping name** Ethanol, Acetic Acid  
**Transport hazard class(es)** 3  
**Subsidiary hazard class** 8  
**Packing group** II  
**Special Provisions** Per Chapter 3.4.1 Dangerous goods packed in limited quantities ( column 7 a ) and Chapter 3.5 Dangerous goods in free quantities ( column 7 b )

## 15. REGULATORY INFORMATION

### International Inventories

**TSCA** Complies  
**DSL/NDL** Complies  
**EINECS/ELINCS** -  
**ENCS** Complies  
**IECSC** Complies  
**KECL** Complies  
**PICCS** Complies  
**AIIC** Complies

**Legend:****TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Zinc sulfate - 7733-02-0	1.0
Methyl alcohol - 67-56-1	1.0
Isopropyl alcohol - 67-63-0	1.0

**SARA 311/312 Hazard Categories**

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc sulfate 7733-02-0	1000 lb	X	-	X
Acetic acid 64-19-7	5000 lb	-	-	X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Zinc sulfate 7733-02-0	1000 lb	-
Acetic acid 64-19-7	5000 lb	-
Methyl alcohol 67-56-1	5000 lb	-

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Ethyl alcohol - 64-17-5	Carcinogen

	Developmental
Methyl alcohol - 67-56-1	Developmental

**U.S. State Right-to-Know Regulations****US State Regulations**

This product may contain substances regulated by state right-to-know regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	X	X	X
Zinc sulfate 7733-02-0	X	X	X
Acetic acid 64-19-7	X	X	X
Glycerin 56-81-5	X	X	X
Methyl alcohol 67-56-1	X	X	X
Isopropyl alcohol 67-63-0	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION****NFPA**

Health hazards - 4 3 Flammability 3

Instability -

Special hazards -

**HMIS**

Health hazards - 4 \* 3 Flammability 3

Physical hazards -

Personal protection -

Chronic Hazard Star Legend

\* = Chronic Health Hazard

**Prepared By**

Meridian Bioscience, Inc.

**Issuing Date**

11-Sep-2009

**Revision date**

06-Mar-2025

**Revision Note**

No information available.

**Disclaimer**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Meridian Bioscience, Inc. shall not be held liable for any damages resulting from handling or from contact with the above product.

**End of Safety Data Sheet**