

Meridian Life Science, Inc. a Meridian Bioscience Company, Inc. 5171 Wilfong Road Memphis, TN 38134

> Telephone: 901-382-8716 Fax: 901-333-8223

Email: info@meridianlifescience.com www.MeridianLifeScience.com

CERTIFICATE OF ANALYSIS

Important Note: Centrifuge before opening to ensure complete recovery of vial contents.

Catalog #: A01383H Lot #: 4C06022

Description: Streptolysin O (SLO), Recomb. w/o Blocking

Stabilized Recombinant Streptolysis O (Sr-SLO) without Blocking

Source: *E. coli*

Format: Purified, Liquid

Purification: Metal Affinity Chromatography

Product is 0.2 µm filtered.

Concentration: 1.35 mg/mL (OD280nm, $E^{0.1\%} = 1.096$)

Specific Antigenic Activity: 5866.54 IU/mg (Latex Agglutination, Indirect) Total Antigenic Activity: 7919.83 IU/mL (Latex Agglutination, Indirect)

Buffer: 20 mM Tris-HCl, pH 8.2 ± 0.2 containing 150 mM Sodium Chloride.

Preservative: 0.09% Sodium Azide

Applications: Suitable for use in Lateral Flow. Each laboratory should determine an optimum working titer for use in its

particular application. Other applications have not been tested but use in such assays should not necessarily

be excluded.

Storage: Store at -70°C. Avoid multiple freeze/thaw cycles.

Inactivation: Not Applicable

Safety Note(s): Refer to the appropriate Safety Data Sheet (SDS) for additional information.

Gretcler m Olsm

Quality Signature:

07 MAR 2022

FOR RESEARCH OR FURTHER MANUFACTURING USE ONLY